




LASER-EQUILIGN2

Shaft alignment device

Laser system for aligning shafts



Technical information



Technical data

Tablet-based, kiosk mode	System solution	
Single Laser	Laser technology	
Coaxial, reflected laser beam	Measuring principle	
0 – 5 m	Measuring distance	
0° – 360°	Measuring range inclinometer	
yes, max. 4 measuring points	Active clock mode	
Bluetooth	Communication	
8" TFT, 1280 x 800 Px.	Display	
-10°C – +50°C	Operating temperature	
Li-Ion rechargeable battery	Voltage supply	
up to 10 hours	Operating time	
IP 68	Protection class handheld	
IP 65	Protection class laser/sensor	
Class 2 acc. to IEC 60825-1	Safety class laser	
500 x 410 x 140	Dimensions case (mm)	
≈m	5,7 kg	Weight



Additional information

- 1 pc. handheld tablet, Included in delivery
- 1 pc. charger with adapters,
- 1 pc. shaft bracket,
- 1 pc. laser/sensor,
- 1 pc. reflector with roof prisma,
- 1 pc. micro USB cable,
- 1 pc. USB C data cable,
- 1 pc. USB A USB C adapter cabl
- 1 pc. tape measure,
- 1 pc. hex wrench SW4,
- 1 pc. case