



FAG

BND3232-H-W-Y-AF-D

Housing body

For bearings with a conical bore and clamping sleeve with constant diameter, BND

Technical information

Main Dimensions & Performance Data






d 1	140 mm	Shaft diameter
a	600 mm	Length base
h 1	385 mm	Total height
g 1	213 mm	Total width with lid g1
g 2	250 mm	Total width with lid g2
≈m	89,9 kg	Weight

**Dimensions**

b	180 mm	Width base
c	58 mm	Height base foot
D	290 mm	Outside Diameter
g	130 mm	Width housing body
g ₃	115 mm	Locking collar width g ₃
g ₄	90 mm	Locking collar width g ₄
h	190 mm	Distance shaft axis
k	3 mm	Axial displacement
m	490 mm	Distance fixing bore
n	105 mm	Bore distance width
s	M30	Size of fixing screws
s ₂	M16	Thread fixing bore
s ₂	6	Number of screwing holes
t	330 mm	Pitch circle dia fixing holes
u	36 mm	Width oblong holes
v	45 mm	Lenght oblong hole

Additional information

H2332(-HG)	Adaptive Sleeve
23232...-K	Bearing designation





View product details on medias

06.05.2026, 14:25:06 UTC

SCHAEFFLER

