



View product details on medias

29.06.2026, 08:03:22 UTC

SCHAEFFLER



### **NSSS-156** [↗](#)

Hydraulic cylinder, 700 bar

BETEX NSSS Standard cylinder, single-acting, spring return, 15T class

## Technical information

---



### Your current product variant

|         |      |                   |
|---------|------|-------------------|
| Series  | NSSS | Standard cylinder |
| Version | 15T  | Capacity class 15 |

### Technical data

|             |                     |                                   |
|-------------|---------------------|-----------------------------------|
|             | 15                  | Capacity class (tons)             |
| $s_p$       | 153 mm              | Stroke                            |
| $F_a$       | 166 kN              | Advance force, max.               |
| $P_{max}$   | 700 bar             | Operating pressure, max.          |
| $V_{oil}$   | 363 cm <sup>3</sup> | Oil capacity                      |
| A           | 271,6 mm            | Height, retracted                 |
| B           | 424,6 mm            | Height, extended                  |
| D           | 73 mm               | Outer diameter                    |
| E           | 55 mm               | Cylinder bore diameter            |
| F           | 40 mm               | Plunger diameter                  |
| H           | 25 mm               | Base to advance port              |
| J           | 38 mm               | Saddle diameter                   |
| K           | 9,6 mm              | Saddle protrusion from plunger    |
| O           | 1"-8 UN             | Plunger female thread (UN)        |
| P           | 25,4 mm             | Plunger thread length             |
| U           | 47,7 mm             | Base mounting holes, bolt circle  |
| V           | 3/8"-16 UNC         | Base mounting holes, thread (UNC) |
| Z           | 13 mm               | Base mounting holes, thread depth |
| W           | 2 1/4"-16 UN        | Collar thread (UN)                |
| X           | 30 mm               | Collar thread, length             |
| $\approx m$ | 6,8 kg              | Weight                            |



View product details on medias

29.06.2026, 08:03:22 UTC

SCHAEFFLER

### Additional information

---

Hard chrome plated and  
hardened piston,  
Rolled inside of cylinder,  
Sandblasted outside  
with black nitride coating,  
Coupling with dust cap

Product specifics