


## ZKLN4075-2RS-2AP-XL

Axial angular contact ball bearing

Axial angular contact ball bearings  
ZKLN..-2RS-2AP-XL, matched pair, double  
direction, lip seals on both sides

X-life

### Technical information



#### Your current product variant

Sealing	2RS	Contact lip seals on both sides
Tolerance class	Standard	
Number of bearings	2AP	Axial angular contact ball bearings, matched pair











### Temperature range

$T_{\min}$	-30 °C	Operating temperature min.
$T_{\max}$	120 °C	Operating temperature max.

### Additional information

$c_{aL}$	1.750 N/ $\mu$ m	Rigidity axial
$c_{kL}$	1.200 Nm/mrad	Tilting rigidity
$M_m$	4,52 kg*cm <sup>2</sup>	Mass moment of inertia
	2,5 $\mu$ m	Axial runout
	ZMA40/62	Recommended INA precision locknut for radial locking
	AM40	Recommended INA precision locknut for axial locking
$M_A$	55 Nm	Tightening torque for the recommended INA precision locknut
	13.412 N	Required locknut force axial

### Characteristics

	Radial load
	Axial load in one direction
	Axial load in two directions
	Lifetime lubrication, freedom from maintenance
	Grease Lubrication
	Sealed on both sides