

**81152-M** [↗](#)

Axial cylindrical roller bearing

Axial cylindrical roller bearing 811..-M, single row

Technical information



Your current product variant

Cage	M	Brass Cage
------	---	------------

Main Dimensions & Performance Data

d	260 mm	Bore diameter
T	45 mm	Height
C _a	620.000 N	Basic dynamic load rating, axial
C _{0a}	2.650.000 N	Basic static load rating, axial
C _{ua}	223.000 N	Fatigue load limit, axial
n _G	990 1/min	Limiting speed
n _{gr}	390 1/min	Reference speed
D	320 mm	Outside diameter
≈m	8,29 kg	Weight

Mounting dimensions

d _{a min}	316 mm	Minimum diameter shaft shoulder
D _{a max}	268 mm	Maximum diameter of housing shoulder
r _{a max}	1,5 mm	Maximum recess radius

Dimensions

D ₁	263 mm	Bore diameter housing washer
d ₁	317 mm	Rip diameter shaft washer
r _{min}	1,5 mm	Minimum chamfer dimension





Temperature range

T _{min}	-30 °C	Operating temperature min.
T _{max}	120 °C	Operating temperature max.

Additional information

K81152-M	Axial roller and cage assembly
GS81152	Housing Washer
WS81152	Shaft washer

Characteristics

-  Axial load in one direction
-  Grease Lubrication
-  Oil Lubrication
-  Not sealed
-  Large bearing