

**LFR50/8-6-2RS-RB** [↗](#)

Yoke type track roller

Yoke type track roller

## Technical information

**Your current product variant**

|           |      |                            |
|-----------|------|----------------------------|
| Size code | 50/8 |                            |
| Seal      | 2RS  | Double-sided sliding seal  |
| Material  | RB   | Corrosion-resistant design |

**Main Dimensions & Performance Data**

|                  |       |                   |
|------------------|-------|-------------------|
| d                | 8 mm  |                   |
| D <sub>max</sub> | 24 mm |                   |
| B                | 11 mm | Width, inner ring |
| ≈m               | 21 g  | Weight            |

**Mounting dimensions**

|                  |         |                     |
|------------------|---------|---------------------|
| A <sub>T</sub>   | 14 mm   |                     |
| C                | 11 mm   |                     |
| D <sub>a</sub>   | 22,8 mm | Diameter of rolling |
| d <sub>s</sub>   | 6 mm    |                     |
| r <sub>min</sub> | 0,3 mm  |                     |

**Main dimensions**

|                     |         |  |
|---------------------|---------|--|
| C <sub>r w</sub>    | 4.100 N | Effective dynamic load rating as track roller (radial) |
| C <sub>0r w</sub>   | 2.300 N | Effective static load rating as track roller (radial)  |
| C <sub>ur w</sub>   | 115 N   | Limit of fatigue load                                  |
| F <sub>r per</sub>  | 2.550 N | Permissible dynamic limit load                         |
| F <sub>0r per</sub> | 4.600 N | Permissible static limit load                          |



View product details on medias

16.06.2026, 15:10:52 UTC

SCHAEFFLER

### Additional information

---

LFE/LFZ

siehe Katalog: LF1

Possible roller-pin combination